# SERVICE BULLETIN BOOK

# 1994

# WMS GAMES PARTS AND SERVICE INC.

WILLIAMS ELECTRONIC GAMES, INC.

MIDWAY MANUFACTURING COMPANY

MAKERS OF WILLIAMS AND BALLY AMUSEMENT GAMES

3401 N. CALIFORNIA AVE.

CHICAGO,ILLINOIS 60618

SERVICE DEPT. PHONE: (312) 509-6544 FAX: (312) 267-5054

# TABLE OF CONTENTS

### **BULLETINS**

GAMES BY SYSTEM	1
FLIPPER COILS	3
LEG BOLT MOUNTING HOLES	4
LONG RANGE OPTO ON "DRACULA"	5
DECREASING BALL TIME ON "TWILIGHT ZONE"	6
COIN DOOR SAFETY SWITCH	7
FLIPPER BUTTON OPTO BOARDS	8
WRONG POWER AMPLIFIER IN SOUND BOARDS	9
DIVERTER BRACE FOR "JUDGE DREDD"	10
IDOL ASSEMBLY STICKING ON "INDIANA JONES"	11
AMENDMENTS	
"TWILIGHT ZONE"	13
"INDIANA JONES"	19
"JUDGE DREDD"	21
"STAR TREK"	26
BONUS	

RUBBER RING CHART

27

#### WILLIAMS AND BALLY GAMES BY SYSTEM

THIS IS A LISTING OF GAMES BY THE CPU SYSTEM IT USED. 11A BOARDS CAN BE USED FOR 11 AND 11A GAMES. 11B BOARDS CAN BE USED FOR SYSTEMS 11A, 11B AND 11C. SYSTEMS 9, 11 AND 11C CAN ONLY BE USED FOR THEIR OWN SYSTEMS RESPECTIVELY. WPC CPU'S BEFORE INDIANA JONES CAN ONLY BE USED ON GAMES MADE BEFORE INDY, ANY WPC CPU'S AFTER INDY (GAMES WITH A "\*" AFTER THEM) ARE DOWNWARD COMPATIBLE.

GAME	SYSTEM
SPACE SHUTTLE	9
SORCERER	9
COMET	9
STRIKE ZONE	9
HIGH SPEED	11
GRAND LIZARD	11
ROAD KINGS	11
ALLEY CATS	11
PINBOT	11A
MILLIONAIRE	11A
F-14 TOMCAT	11A
FIRE!	11A
TIC TAC STRIKE	11A
BIG GUNS	11A/11B
SPACE STATION	11B
CYCLONE	11B
BANZAI RUN	11B
SWORDS OF FURY	11B
TAXI	11B
JOKERZ	11B
GOLD MINE	11B
TOP DAWG	11B
EARTHSHAKER	11B
BLACK KNIGHT 2000 POLICE FORCE	11B
ELVIRA	11B
TRANSPORTER	11B
BAD CATS	11B 11B
SHUFFLE INN	11B 11B
MOUSIN' AROUND	11B 11B
WHIRLWIND	11B
SHUFFLE INN DELUXE	11B
GAME SHOW	11C
POOL SHARKS	11C
ROLLER GAMES	11C
RADICAL	11C

#### WILLIAMS AND BALLY GAMES BY SYSTEM (CONTINUED)

GAME	SYSTEM
DINER RIVERBOAT BUGS BUNNY DR. DUDE FUNHOUSE HARLEY DAVIDSON THE MACHINE SLUGFEST GILLIGAN'S ISLA TERMINATOR 2 PARTY ZONE ADDAMS FAMILY STRIKE MASTER STRIKE MASTER JHURRICANE THE GETAWAY BLACK ROSE FISHTALES DOCTOR WHO CREATURE WHITE WATER HOT SHOT DRACULA TWILIGHT ZONE INDIANA JONES JUDGE DREDD STAR TREK	WPC WPC WPC WPC

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE TIP

#### FLIPPER COILS USED IN WILLIAMS AND BALLY PINBALL MACHINES

AT WILLIAMS BALLY/MIDWAY, WE TRY TO HAVE A BALANCE OF POWER FOR THE FLIPPERS WHICH IS REALLY BASED ON THE LAYOUT AND DESIGN OF A GIVEN GAME. OBVIOUSLY, FLIPPERS ARE ONE OF THE MOST IMPORTANT PARTS FOR PLAYER SATISFACTION. AND, IF YOU HAVE A WEAK FLIPPER IT CAN ADVERSELY EFFECT A PLAYER'S ENJOYMENT AND ABILITY TO PLAY A MACHINE. CONVERSELY, IF THE FLIPPER IS TOO STRONG, THE BALL WILL TEND TO BOUNCE AND COULD CAUSE UNNECESSARY DAMAGE TO THE PLAYFIELD.

GOING FROM THE LIGHTEST, OR WEAKEST, THIS IS A HANDY REFERENCE LIST.

FL-11753 YELLOW:

USED WITH SHORT FLIPPERS AND CLOSE SHOTS.

FL-11722 GREEN:

USED FOR CLOSE SHOTS NEAR DROP TARGETS.

FL-11630 RED:

THE STANDARD AND MOST FREQUENTLY USED.

FL-15411 ORANGE:

USED ON LONG PLAYFIELD SHOTS.

FL-11629 BLUE:

USED ON LONG SHOTS AND HIGH RAMPS.

IN REBUILDING OLDER 50 VOLT (FIREPOWER II UP TO F-14 TOMCAT) GAME FLIPPERS THAT DID NOT HAVE PARALLEL WOUND STYLE COILS, MAKE CERTAIN THAT YOU DO NOT HAVE AN OVER-POWERED COIL (TOO STRONG), BECAUSE THE PLAYFIELDS DID NOT HAVE THE EXTRA SUPPORT FOR THE PLASTIC POSTS AND PLAYFIELD RAMPS THAT ARE BUILT INTO TODAY'S GAMES.

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN

DATE: MAY 17, 1993

**SB54** 

GAME: "TWILIGHT ZONE"

SUBJECT: LEG (BOLT) MOUNTING HOLES.

PLEASE BE AWARE THAT STARTING WITH THE PINBALL MACHINE "TWILIGHT ZONE", THERE WILL BE THREE CABINET MOUNTING HOLES FOR EACH PINBALL LEG.

- \*USE THE BOTTOM HOLES FOR NORMAL PINBALL OPERATIONS.
- \*USE THE TOP HOLES IF YOU ARE PLACING THE MACHINE IN A CHILDREN'S LOCATION.
- \*DO NOT MIX MOUNTING LOCATIONS. USE EITHER THE UPPER HOLES OR THE LOWER CONFIGURATION.
- \*USING THE WRONG SET OF HOLES CAN ADVERSELY AFFECT THE EARNINGS.

THANK YOU,

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN

DATE: APRIL 23, 1993

**SB55** 

GAME: "DRACULA"

SYMPTOM: INTERMITTENT ERRORS ON LONG RANGE OPTO (SWITCH #82).

OUR QUALITY DEPARTMENT HAS FOUND IN THEIR AUDITS SOME .01 ufd CAPS INSERTED IN C9 OF THE 24-SWITCH OPTO ASSEMBLY. <u>CAPACITOR C9 SHOULD</u> BE A .001 ufd.

IF YOU ARE EXPERIENCING INTERMITTENT SWITCH READINGS ON SWITCH #82, THE MAGNET ON SWITCH, CHECK CAPACITOR C9 ON THE 24-SWITCH OPTO ASSEMBLY (PART # A-15646).

ANY "DRACULA" MANUFACTURED PRIOR TO APRIL 21, 1993 MAY HAVE HAD THIS WRONG VALUE CAPACITOR.

REPEATING: CAPACITOR C9 SHOULD BE A .OO1 ufd (PART # 5043-09845-00).

THANK YOU,

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN


DATE: MAY 18, 1993 SB56

GAME: "TWILIGHT ZONE"

SUBJECT: REMOVING 2 DOUBLE STAR POSTS TO DECREASE BALL TIMES.

WE HAVE FOUND THROUGH OUR TEST LOCATIONS THAT THE AVERAGE BALL TIMES HAVE BEEN LONGER THAN 65 SECONDS ON "TWILIGHT ZONE" (WE TRY FOR 45 SECONDS). IN OUR CONSTANT EFFORTS TO MAXIMIZE EARNINGS, WE HAVE BEEN REMOVING THE 2 DOUBLE STAR POSTS AND RUBBERS FROM BETWEEN THE JET BUMPERS (REFER TO FIGURE 1). AFTER REMOVING THE POSTS AND T-NUTS, FILL THE HOLES WITH 2 PLASTIC PLUGS PART # 03-8416. NOTE: ALL GAMES MANUFACTURED AFTER MAY 13th WILL HAVE THIS CHANGE.

THANK YOU,



#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN


DATE: SEPTEMBER 29, 1993

SUBJECT: COIN DOOR SAFETY SWITCH

WILLIAMS AND BALLY PINBALL MACHINES ARE NOW EQUIPPED WITH A NEW SAFETY FEATURE TO PREVENT SHOCKS FROM THE SOLENOID CIRCUIT WHEN THE COIN DOOR IS OPENED. A NEW INTERLOCK SWITCH ASSEMBLY (PART # A-17077), LOCATED AT THE LEFT OF THE COIN DOOR OPENING, HAS BEEN ADDED TO THE GAMES. THIS ASSEMBLY IS A BRACKET CONTAINING THE EXISTING MEMORY PROTECT SWITCH ON THE BOTTOM AND A NEW INTERLOCK SWITCH ON THE TOP. WHEN THE COIN DOOR IS OPENED, THIS NEW INTERLOCK SWITCH OPENS, BREAKING THE CONNECTION TO THE +50V AND +20V WINDING OF THE TRANSFORMER SECONDARY.

A SPECIAL TOOL CALLED THE SERVICE SWITCH ACTUATOR IS PROVIDED FOR THE SERVICEMAN / TECHNICIAN THAT REPAIRS THE GAME. THIS TOOL IS PAINTED YELLOW AND LOCATED IN A BAG STAPLED INSIDE THE CABINET. THE SERVICE SWITCH ACTUATOR SLIPS OVER THE INTERLOCK SWITCH AND HOLDS IT CLOSED WHILE THE DOOR IS OPENED, ALLOWING THE SERVICEMAN TO TEST AND REPAIR THE SOLENOID CIRCUIT.

HOLD THE TOP INTERLOCK SWITCH IN, THEN SLIDE THE SHORT END OF THE SERVICE SWITCH ACTUATOR OVER THE TOP OF THE INTERLOCK SWITCH BRACKET AND THE LONG END OVER THE CENTER OF THE SWITCH PLUNGER TO HOLD IT IN.



**SB57** 

THANK YOU,

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN

DATE: SEPTEMBER 29, 1993

**SB58** 

GAMES: "INDIANA JONES" AND "JUDGE DREDD".

SUBJECT: FLIPPER BUTTON OPTO BOARDS.

ON GAMES THAT HAVE A BALL LAUNCHER COIL INSTEAD OF A TRADITIONAL SHOOTER PLUNGER, THERE IS A POSSIBILITY THAT IF THE FLIPPER BUTTON OPTO BOARD IS MOUNTED TOO HIGH THE OPTO INTERRUPTER CAN HANG-UP ON THE COIL PLUNGER. THIS CONDITION IS MORE PREVALENT IF THE FLIPPERS ARE ENERGIZED AND THE BALL LAUNCH IS ACTIVATED. TO CORRECT THIS CONDITION SIMPLY REMOUNT THE FLIPPER OPTO BOARD LOWER.

THANK YOU,

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN

DATE: OCTOBER 6, 1993

**SB59** 

SUBJECT: WRONG POWER AMPLIFIER IN SOUND BOARD.

GAMES AFFECTED: "INDIANA JONES" & "JUDGE DREDD" MANUFACTURED BEFORE OCTOBER 4, 1993

LOCATIONS U27 AND U28 ON THE "INDIANA JONES" AND THE "JUDGE DREDD" SOUND BOARD ARE THE POWER AMPLIFIERS. BOTH OF THESE COMPONENTS ARE TDA2030A 18 WATT +/-22 VOLT (WILLIAMS PART # 5370-13419-00). WE HAVE JUST DISCOVERED THAT SOME SOUND BOARDS WERE STUFFED WITH THE WRONG POWER AMPLIFIER. THE PART THAT WAS INADVERTENTLY USED WAS A TDA2030 WHICH IS A 14 WATT +/-14 VOLT POWER AMPLIFIER. THE TDA2030 IS A LOW POWER VERSION OF THE TDA2030A. IF THE WRONG POWER AMPLIFIER IS INSTALLED IT WILL OVERHEAT AND SOUNDS WILL BE DISTORTED AND EVENTUALLY, CUT OUT.

THANK YOU.

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN


DATE: OCTOBER 15, 1993

**SB60** 

GAME: "JUDGE DREDD".

SUBJECT: DIVERTER BRACE

A RUNNING CHANGE IS TAKING PLACE ON "JUDGE DREDD" PINBALL MACHINES. BEGINNING ON OCTOBER 13th A DIVERTER BRACE IS BEING INSTALLED TO PREVENT THE DIVERTER SHAFT FROM BEING PUSHED BACK BY THE FORCE OF THE BALL. A KIT (PART # A-17627) IS AVAILABLE TO UPDATE ANY GAMES THAT MAY BE EXHIBITING THAT CONDITION. THE KIT INCLUDES THE BRACE, TWO SCREWS, AND INSTRUCTIONS.



THANK YOU,

#### PARTS & SERVICE INC.

3401 N. CALIFORNIA AVE. CHICAGO, IL 60618 (312)509-6544

#### SERVICE BULLETIN

DATE: NOVEMBER 4, 1993


**SB61** 

**GAME: "INDIANA JONES"** 

SUBJECT: IDOL ASSEMBLY STICKING

IF YOU ARE EXPERIENCING OCCASIONAL STICKING ON THE IDOL ASSEMBLY, ADD A PLASTIC SPLIT WASHER,  $.260 \times .50 \times .032$ , (PART # 03-9046) TO THE IDOL COIL PLUNGER TO PREVENT THE ASSEMBLY FROM MAGNETIZING.

TURN OFF THE GAME AND RAISE THE PLAYFIELD. GRASP THE E-RING ON THE IDOL COIL PLUNGER AND PULL THE PLUNGER DOWN. PUSH THE PLASTIC SPLIT WASHER AROUND THE THIN PART OF THE PLUNGER. LOWER THE PLAYFIELD.



THANK YOU,

# **AMENDMENTS**

# TWILIGHT ZONE

#### Manual Amendment


The following corrections/changes have been made to the Twilight Zone Operations Manual. Please keep this amendment with your manual.

Page 1-41 Pricing Table
Changes on Australia, New Zealand and USA.

Country	Coin Chi Left Chute		nter	4th Right	Games/Coins	Display	Pricing Adjustments A3 02 03 04 05 06 07 08 09
USA	25¢	\$1.00	25¢	•	1/50¢, 2/75¢, 3\\$1\frac{2}{1}/50¢, 2/\$1\\$2 1/50¢, 2/\$1\\$2 1/50¢, 3\\$1\\$2 1/50¢, 2/\$1.00, 6\\$2.00 1/50¢, 2/\$1.00, 5\\$2.00 1/50¢, 2/\$1.00, 4\\$150, 6\\$2.00\\$1.2	50¢, 75¢, \$1 00 USA 2/\$1.00 USA 3/\$1.00 USA 6/\$2.00 USA 5/\$2.00	
Canada	25¢	•	\$1.00	-	1/50¢, 2/75¢, 3\$1 1/50¢, 2/75¢, 3\$1 1/50¢, 2/\$1 2	6/\$2 00 4/\$1 50 CANADA 1 CANADA 2	
Austria	5sch 5sch	10sch	10sch 10sch	:	1/2x5sch, 3/2x10sch 2 2/5sch, 5/10sch	AUSTRIA CUSTOM	02 00 05 00 01 00 01 00
Australia	20¢	\$1	\$1	\$2	1/\$1.2/\$2 2	AUSTRALIA 2	
U.K.	£1.00	50P	20P	10P	1/3x10P, 2/50P, 4/£1 <sup>2</sup>	U. KINGDOM	
Switzerland	1Fr 1Fr	2Fr 2Fr	5Fr 5Fr	:	1/1Fr, 3/2Fr, 7/5Fr <sup>2</sup> 1/2Fr, 2/3Fr, 3/4Fr, 5/5Fr	SWISS SWISS 2	
Belgium	5Fr	20F1	50Fr	•	1/4x5Fr, 1/20Fr , 3/50Fr <sup>2</sup>	BELGIUM	
Germany	1DM	2DM	5DM	•	1/2DM, 2/3DM, 3/4DM, 5/5DM 1,2	GER. 1/2DM	
Holland	1G	•	1Ğ	-	1/1G	HOLLAND	
Sweden	1Kr 5Kr	5Kr 5kr	10Kr 5Kr	-	1/5x1Kr, 1/5kr, 2/10Kr <sup>1,2</sup> 1/5Kr <sup>2</sup>	SWEDEN 1 SWEDEN 2	
France	1Fr 1Fr 1Fr 1Fr 1Fr 1Fr	5Fr 5Fr 5Fr 5Fr 5Fr 5Fr	10Fr 10Fr 10Fr 10Fr 10Fr 10Fr 20Fr	20Fr 20Fr 20Fr 20Fr 20Fr 20Fr 20Fr	1/3x1Fr, 2/5Fr, 5/10Fr, 10/20Fr <sup>2, 3</sup> 1/2x1Fr, 3/5Fr, 7/10Fr, 14/20Fr <sup>2, 3</sup> 1/5Fr, 3/10Fr, 7/2x10Fr, 7/20Fr, 1.2, 3 2/5Fr, 4/10Fr,9/2x10Fr, 9/20Fr <sup>2, 3</sup> 2/5Fr, 5/10Fr, 11/2x10Fr, 11/20Fr <sup>2, 3</sup> 1/5Fr, 3/10Fr, 6/20Fr <sup>2, 3</sup>	TARIF 1 TARIF 2 TARIF 3 TARIF 4 TARIF 5 TARIF 6	
Italy	500L 500L	:	500L 500L	-	1/500L <sup>2</sup> 1/2x500L, 3/4x500L <sup>1,2</sup>	ITALY 1 ITALY 2	
Spain	100P 25P 25P 25P 25P	:	500P 100P 100P 100P 100P		1/100P, 6500P <sup>2</sup> 1/25P, 5/100P 1/25P, 4/100P 1/2×25P, 2/100P 1/2×25P, 3/100P	SPAIN CUSTOM CUSTOM CUSTOM CUSTOM	01 00 04 00 01 04 01 00 01 00 04 00 01 00 01 00 01 00 04 00 02 00 01 00 03 00 12 00 04 00 01 06
Japan	100¥	•	100¥		1/100¥ <sup>2</sup>	JAPAN	
Chile	Token	•	Token	-	1/1 Token. <sup>2</sup>	CHILE	
Denmark	1Kr	5Kr	10Kr	-	1/2x1 Kr, 3/5Kr, 7/10Kr <sup>2</sup>	DENMARK	
Finland	1Mka	•	5Mka		1/2x1Mka, 3/5Mka 2	FINLAND	
New Zealand	\$2.00	•	\$1.00	•	1/\$1, 3/\$2	NEW ZEALAND 2	
Norway	5Kr		10Kr	-	1/5Kr, 2/10Kr, 5/20Kr <sup>2</sup>	NORWAY	
Argentina	10¢	10¢	10¢		1/1 Token <sup>2</sup>	ARGENTINA	
Hungary	10F	10F	20F		1/1x20F, 1/2x10F, 3/2x20F <sup>2</sup>	HUNGARY	
Note: 1. Fac *Only if Bill /	lory Delau Acceptor a	it. 2. Stan nd Center	dard Settin Coin Chute	g - Chang e are ava	ge by pressing Enter button. 3. Other	unctions are also	allected.

Page 2-20 Fliptronic II Flipper Assembly
Part changed.
Item 2 has been changed to SW-1A-194 Switch Assembly and,
Item 11 has been changed to A-12390 Flipper Stop Bracket Assembly.

Page 2-21 Fliptronic II Flipper Assembly Pictorial change.



Page 2-23 Ball Shooter Lane Feeder-Associated Parts
Part added.
Item 9f, 03-7066 Coil Tubing.

# Page 2-25 Ball Popper Assembly Parts changed/deleted. Items 7, 10 and 16 are no longer used. Item 14 was changed to A-16909 Opto Photo Transistor Assembly and, Item 15 was changed to A-16908 Opto LED Assembly.

# Page 2-28 Rear Diverter Assembly Parts changed. Item 2 was changed to A-16957 Stop Bracket Assembly, Item 8 was changed to 10-128 Spring and, Item 11 changed to 4010-01169-00 SS #10-32 x 1/4".


# Page 2-29 Shooter Diverter Assembly Part number error. Item 3 should be listed as SZ-33-3000 Coil Assembly.

# Page 2-32 Clock Assembly Page 2-33 Parts changed Clock Assembly part number changed to A-16124-1 and Item 13 changed to A-17047 Shaft and Roll Pin Assembly.

# Page 2-35 Kicker Assembly Part number error. Item 7 should be listed as AE-24-900 Coil Assembly.

#### Page 2-47 See Back.

# Page 2-48 Upper Playfield Parts List Item 27a changed to A-16124-1 Clock Assembly. Under the listing of parts not shown, A-16513 Bridge Diverter Assembly is listed, below is a diagram to show its associated parts.



Page 2-51 Switch Locations
Part number changed
Switch 61 changed to 5647-12693-57.

#### Page 2-47 Lower Playfield Parts

Part number error and parts added.

Item 4 should be listed as 01-11523 Leg Support,

Item 12a was added: A-16535 Ramp Prox Opto Sensor Assy.,

Item 15 should be listed as A-16637-2 Plfd. Slide Mechanism-Right,

Item 32 should be listed as A-16923 Right Deflector Assembly,

Item 42 was added: A-15542 Motor EMI Assembly and,

Item 43 was added: A-16361 Right Ramp Diverter.

#### Item Part Number Part Number

# A-16713 Metal Kicker A-16647 Coil & Bracket Assembly A-16338 Shooter Diverter Assembly C-9638 Multiball Eject Assembly

10-128 Spring

A-16766 Coil & Bracket Assembly 01-11523 Leg Support (2 Used)

4. 01-11523 Leg Support (2 Used)
 5. A-15205-R-4 Lower Right Flipper Assembly

6. A-16328 6-Lamp Board

7. B-12665 Kicker Arm (Slingshot) Assy., Right

A-16645-R Coil & Bracket Assembly 8. A-16713 Kicker Assembly V-Pad

A-16647 Coil & Bracket Assembly
9. A-16434 Kicker Assembly

10. A-15205-R-3 Upper Right Flipper Assembly11. A-16381 Loop Assembly

12. A-16133 Main Chute Assemblya) A-16535 Ramp Prox Opto Sensor Assy.

13. A-16460 Bracket & Nut Assembly (2 used)

14. 20-9247 Coil Magnet (2 used)

15. A-16637-2 Plfd. Slide Mechanism, Right16. A-16307 Eject Assembly

17. A-16120 D.C. Motor Assembly
18. 01-10726 Rear Guide Leg (2 used)
19. A-16313 Rear Diverter Assembly

20. A-16312 Ball Popper Assembly
21. A-16216 Rear Trough Assembly
22. A-16807 10-Switch Opto PC Board
23. A-15205-L-1 Upper Left Flipper Assembly

24. A-16637-1 Plfd. Slide Mechanism, Left
25. A-9415-2 Jet Bumper Coil Assembly (3 used)
B-12030-2 Switch & Diode Assembly (3 used)

A-16327
 B-12665
 A-16645-L
 A-16645-L</li

28. A-15205-L-4 Lower Left Flipper Assembly
29. A-16116 8-High Power Driver PC Board

C-11615 Micro-Switch Plate Assembly
 B-12224 Single Lamp Board
 A-16923 Right Deflector Assy.

33. 03-8826 Small Chute Assembly
 34. A-16514 4-Lamp Board
 35. A-16515 3-Lamp Board

36. A-16132 Gumball Machine Assembly


A-16516
 A-16329
 A-16329
 A-Lamp Board
 A-Lamp Board

39. A-16534 Prox Opto Sensor Assembly

40. A-16534 Prox Opto Sensor Ass
 41. A-16533 Ball Sensor Assembly

42. A-15542 Motor EMI Board43. A-16361 Right Ramp Diverter

#### LOWER PLAYFIELD PARTS



Underside of Playfield, Viewed In Raised Position

### TWILIGHT ZONE


MANUAL AMENDMENT

#### \* \* \* IMPORTANT NOTICE \* \* \* PLEASE READ \* \* \*

The TWILIGHT ZONE pinball game is now equipped with a SAFETY FEATURE to prevent shocks from the solenoid circuit when the coin door is opened. A new interlock switch assembly (part no. A-17077), located at the left of the coin door opening, has been added to this game. This assembly is a bracket containing the existing memory protect switch on the bottom and a new interlock switch on the top. When the coin door is opened, this new interlock switch opens, breaking the connection to the +50V and +20V winding of the transformer secondary.

A special tool called the Service Switch Actuator is provided for the serviceman/technician that repairs the game. This tool is painted yellow and located in a bag stapled inside the cabinet. The Service Switch Actuator slips over the interlock switch and holds it closed while the coin door is opened, allowing the serviceman to test and repair the solenoid circuit.

Hold the top interlock switch in, then slide the short end of the Service Switch Actuator over the top of the interlock switch bracket and the long end over the center of the switch plunger to hold it in.



Cable Assembly (mounted in cabinet)

H-16810

2

Page: Inside Front Cover
Jumper Chart Correction

Country	W14	W15	W16	W17	W18
America	ln	Out	Out	Out	Out
European	- In -	In	Oūt	In	In
French	ln -	In	In <sup>-</sup>	Out	Out
German	In	In	In	ln	Out
Spain	In	Out	In	In	In

Page: 2-18

LED changed to 5671-13732-00 on A-16535 and A-16534, Opto Sensor Assemblies.

# INDIANA JONES OPERATIONS MANUAL AMENDMENT for manual 16-50017-101

This amendment reflects changes that occurred after the INDIANA JONES Operations Manual was printed. Please keep this amendment with your manual.

Page 1-35:

A.2 35

**Jackpot Difficulty** 

The operator selects how hard it is to collect jackpot and multiply jackpots during 3 ball idol multiball.

Settings:

EASY - Center drop target bank does not reset when starting multiball or when

a ball enters the center idol lock hole for a jackpot multiplier.

HARD - Center drop target bank resets at the start of the multiball and each time a ball enters the center idol lock hole. Also, once a jackpot has been collected

the center drop targets will automatically reset every few seconds.

Page 2-15:

3-bank Drop Target Opto PCB Assembly

The part number for LED 1 was 5671-09019-00. It has been changed to 5671-13732-00.

Page 2-15, 2-44 and 3-20:

3-sw. Opto PCB Assembly

The part number for the 3-sw. Opto PCB Assembly was A-13901-2. It has been changed to A-17042-3. On page 3-20, R10 is shown as  $220K\Omega$ . It should be

22KΩ.

Page 2-22:

**Ball Trough Assembly** 

The wire colors have been changed as follows:

Gray-Green becomes Gray-Violet Gray-Violet becomes Gray-Green Orange-Violet becomes Orange-Green Orange-Green becomes Orange-Violet

Page 3-20 and 3-21:

3-sw. Opto PCB Assembly

On connector J1-7, the Violet-White wire for switch column 9 should come from the 8-

driver board connector J5-1 not J5-4.

Page 3-22:

8-driver PCB Assembly

The Violet-White wire for switch column 9 going to the Motor Opto PCB and the 3-sw Opto PCB

comes from J5-1 not J5-4.

Page 3-24:

Motor Opto Switch PCB Assembly

On connector J1-6, the Violet-White wire for switch column 9 should come from the 8-driver board

connector J5-1 not J5-4.

### INDIANA JONES

#### **AMENDMENT**

These corrections effect page 2-2 of the INDIANA JONES manual.

#### INDIANA JONES Ribbon Cables:

17.	5795-12653-03	Ribbon Cable, 3"
18.	5795-10938-14	Ribbon Cable, 14"
19.	5795-13018-01	Ribbon Cable, 9.5"
20.	5795-12830-30	Ribbon Cable, 30"
21.	5795-10938-32	Ribbon Cable, 32"

# JUDGE DREDD

#### Manual Amendment

The following corrections/changes have been made to the Judge Dredd Operations Manual. Please keep this amendment with your manual.


Page 1-33 Pricing Table Changes on USA, Germany, and Finland.

Country	Coin Chu Left	tes Center	Right	4th Chute	Games/Coins	Display	Pricing Adjustments A3 02 03 04 05 06 07 08 09
JSA	25¢	\$1.00	25¢	-	1/50¢, 2/75¢, 3/\$1 <sup>2</sup>	50¢, 75¢, \$1.00	
	25	\$1.00	25¢	-	1/3X25¢ 2	USA1 1/50.75	
	25	\$1.00	25¢	-	1/50¢, 2/\$1 <sup>2</sup>	USA 2/\$1.00	
	25	\$1.00	25¢		1/50¢, 3/\$1.00 <sup>2</sup>	USA 3/\$1.00	
	25	\$1.00	25¢		1/2×25¢, 2/4×25¢, 3/\$1.00 <sup>2</sup>	3/\$1.00 Coin	
	25	\$1.00	25¢		1/2×25¢, 2/\$1.00, 3/\$1.50, 6/\$2.00 2	USA 6/\$2.00	
	25	\$1.00	250		1/2×25¢, 2/\$1 00, 3/\$1.50, 5/\$2 00 <sup>2</sup>	USA 5/\$2.00	
	-	3			1/2/25¢, 2/\$1 00, 3/\$1.50, 3/32 00	1/.75, 4/52.00	
	25	\$1.00	25¢		1/3X25¢, 2/\$1.50, 4/\$2.00 <sup>2</sup>	6/\$2 00 4/\$1 50	
	25	\$1.00	25¢		1/2x25¢, 2/\$1.00, 4/\$1.50, 6/\$2.00 <sup>1.2</sup>		
Canada	25¢	•	\$1.00	•	1/50¢, 2/75¢, 3/\$1 1/50¢, 2/\$1 <sup>2</sup>	CANADA 1 CANADA 2	
Austria	5sch	10sch	10sch		1/2x5sch, 3/2x10sch 2	AUSTRIA	
	5sch	-	10sch	-	2/5sch, 5/10sch	CUSTOM	02 00 05 00 01 00 01 00
Australia	20¢	\$1	\$1	\$2	1/51, 3/52 2	AUSTRALIA 1	
100114114	20c	\$1	\$1	\$2	1/\$1, 2/\$2	AUSTRALIA 2	
U.K.	£1.00	50P	20P	10P	1/3x10P, 2/50P, 4/£1 2	U. KINGDOM	
	10.100	2Fr	5Fr	-	1/1Fr, 3/2Fr, 7/5Fr 2	SWISS 1	
Switzerland	1Fr	2Fr	5Fr		1/2Fr, 2/3Fr, 3/4Fr, 5/5F	SWISS 2	
	1Fr					BELGIUM	
Belgium	5Fr	20Fr	50Fr		1/4x5Fr, 1/20Fr , 3/50Fr <sup>2</sup>		
Germany	1DM	2DM	5DM	-	1/2DM, 2/3DM, 3/4DM, 5/5DM <sup>2</sup>	GER. 1/2DM	
					1/1DM, 2/2DM, 5/5DM <sup>2</sup>	GER. 1/1 DM	
					1/1DM, 2/2DM, 6/5DM 1.2	GER. 6/5DM	
Holland	1G	<del>  .                                     </del>	1G	-	1/1G <sup>2</sup>	HOLLAND	
Sweden	1Kr	5Kr	10Kr	19 KB /*	1/5x1Kr, 1/5kr, 2/10Kr 1.2	SWEDEN 1	C · · ·
Sweden	5Kr	5kr	5Kr		1/5Kr <sup>2</sup>	SWEDEN 2	
	1Fr	5Fr	10Fr	20Fr	1/3x1Fr, 2/5Fr, 5/10Fr , 10/20Fr 2,3	TARIF 1	
France	10.000	5Fr	10Fr	20Fr	1/2x1Fr, 3/5Fr, 7/10Fr, 14/20Fr 2,3	TARIF 2	
	1Fr	5Fr	10Fr	20Fr	1/5Fr, 3/10Fr, 7/2x10Fr, 7/20Fr 1,2,3	TARIF 3	7
	1Fr				1/54, 3/104, //201041, //2011	TARIF 4	
	1Fr	5Fr	10Fr	20Fr	2/5Fr, 4/10Fr,9/2x10Fr, 9/20Fr 2,3	TARIF 5	
	1Fr	5Fr	10Fr	20Fr	2/5Fr, 5/10Fr, 11/2x10Fr, 11/20Fr 2,3	TARIF 6	
	1Fr	5Fr	10Fr	20Fr	1/5Fr, 3/10Fr , 6/20Fr <sup>2,3</sup>	The second secon	
Italy	500L	500L	500L		1/500L <sup>2</sup>	ITALY 1	-
1 4	5COL	500L	5CCL	75	1/2x500L, 3/4x500L 1.2	ITALY 2	
	500L	500L	500L	-	1/500L, 2/1000L	ITALY 3	
Spain	100P	2 7	500P	-	1/100P, 6/500P <sup>2</sup>	SPAIN	
Spain	25P		100P	-	1/25P, 5/100P	CUSTOM	01 00 04 00 01 04 01 00
	25P		100P		1/25P, 4/100P	CUSTOM	01 00 04 00 01 00 01 00
	25P		100P	1 .	1/2×25P, 2/100P	CUSTOM	01 00 04 00 02 00 01 00
			100P		1/2×25P, 3/100P	CUSTOM	03 00 12 00 04 00 01 06
	25P		1.00			JAPAN	
Japan	100¥		100¥		1/100¥2	CHILE	
Chile	Token	•	Token		1/1Token <sup>2</sup>	DENMARK	× CV
Denmark	1Kr	5Kr	10Kr		1/3x1 Kr, 3/5 Kr, 7/10 Kr <sup>2</sup>	The state of the s	
Finland	1Mka	The same	5Mka	-	1/2x1Mka, 3/5Mka 2	FINLAND 1	
	1Mka		5Mka	-	1/3x1Mka, 2/5Mka 2	FINLAND 2	La sala de
New	\$1.00	<del>  .</del>	\$2.00	-	1/\$1, 3/\$2	NEW ZEALAND 1	
Zealand	\$2.00	-	\$1.00		1/\$1, 3/\$2, (\$2-\$1 door)	NEW ZEALAND 2	
Norway	5Kr		10Kr	-	1/5Kr, 2/10Kr, 5/20Kr <sup>2</sup>	NORWAY	
	10c	10c	10c	-	1/1 Token <sup>2</sup>	ARGENTINA	
Argentina		20D	50D	+	1/2x10D, 1/20D, 3/50D	GREECE	1
Greece	10D				100	ANTILLES	
Antilles	25¢	25¢	1G	T.	A STATE OF THE PARTY OF THE PAR	NETHERLANDS	
Netherland		2.5Hfl	2.5Hfl	123	1/1Hfl, 3/2.5Hfl	HUNGARY	-
Hungary	10F	10F	20F	-	1/1x20F, 1/2x10F, 3/2x20F <sup>2</sup> ange by pressing Enter button. 3. Other		

Page 2-16 & 2-17 Flipper Assemblies: Old Flipper # New Flipper #

A-15205-R-2 A-15849-R-2 A-15205-L-2 A-15849-L-2 A-15205-R A-15849-R

Changed Item #16 from B-13882-L(R) to A-15848-L(R).



#### A-15849-R-2 & A-15849-L-2 Flipper Assembly

ltem	Part Number	Description	item	Part Number	Description
1.	B-13104-R	Flipper Base Assy., Right	15.	10-364	Spring
	B-13104-L	Flipper Base Assy., Left	16.	A-15848-R	Crank Link Assembly, Right
2.	SW-1A-194	Switch Assembly		A-15848-L	Crank Link Assembly, Left
3.	4701-00002-00	Lockwasher, #6 Split	a)	A-17050-R	Flipper Crank Assembly, Right
4.	4105-01019-10	Sh. Metal Screw, #5 x 5/8 P-RH-A		A-17050-L	Flipper Crank Assembly, Left
5.	4008-01079-05	Mach. Screw, 8-32 x 5/16 H-SOC	b)	A-15847	Flipper Link Assembly
6.	4701-00003-00	Lockwasher, #8 Split	c)	02-4676	Link Spacer Bushing
7.	01-9375	Switch Mounting Bracket	d)	4010-01086-14	Cap Screw, 10-32 x 7/8 SH
8	20-6516	Speednut, Tinnerman	e)	4700-00023-00	Flatwasher, 5/8 x 13/64 x 16ga.
9.	4010-01066-06	Cap Screw, 10-32 x 3/8, SH	f)	4701-00004-00	Lockwasher #10 Split
10.	4701-00004-00	Lockwasher, #10 Split	g)	4410-01132-00	Nut, 10-32 ESN
11.	A-12390	Flipper Stop Assembly	17.	23-6577	Bumper Plug, 5/8"
12.	FL-11629	Flipper Coil (Blue)	18.	03-7568	Flipper Bushing
a)	03-7066-5	Coil Tubing	19.	4006-01005-06	Mach. Screw, 6-32 x 3/8 P-PH
13.	01-7695	Solenoid Bracket	20.	4406-01117-00	Nut, 6-32 Hex
14.	4006-01017-04	Mach. Screw, 6-32 x 1/4 P-RH-S			


#### Associated Parts for Left & Right Flippers:

23-6695 Flipper Rubber Ring, 1-1/2" (3 Used) and 20-9250-6 Flipper & Shaft-White (3 Used).

### A-15849-R Flipper Assembly (Parts listed replace same items of A-15849-R-2)

ltem	Part Number	Description
12	EL-11630	Elipper Coil (Red)

Page 3-12 Opto SW-7 P.C.B. Circuit Diagram
Added Switch Row 7, White-Violet, from J209-8 to J3-11.



## JUDGE DREDD

#### Manual Amendment

The following corrections have been made to the Judge Dredd Operations Manual. Please keep this amendment with you manual for future reference.

Page: 2-2


**Backbox Assembly** 

Item #17 should be 5795-10938-14 Ribbon Cable, 14" Item #18 should be 5795-13018-01 Ribbon Cable, 23.5"

Page: 2-43

Switch Locations (playfield drawing) Switch #32 was deleted.

Switch #67 was added.



### JUDGE DREDD

#### Manual Amendment

The following corrections have been made to the Judge Dredd Operations Manual. Please keep this amendment with your manual for future reference.

Pages: Inside Front Cover, 2-30, 2-44, 2-45 and 3-5. •

A-16936 Kicker Bracket Assembly

Coil AE-23-800 has been changed to AE-25-1000.

Page: 2-38

Correction to Lower Playfield Part Locations (Items 19 & 31).

#### Item Part Number Description Kicker Bracket Assembly A-14525 01-11781 Leg Support (2 Used) Outhole Ball Trough Assembly A-16765 3. A-15205-R-2 Flipper Assembly, Lwr. Right B-12665 Kicker Arm (Slingshot) Assy., Right A-14369-R Coil & Bracket Assembly 10-128 Spring B-8284-1 Kicker Switch Assembly B-12224 Single Lamp Board 4-Lamp Board A-16843 7. 8. A-15205-R Flipper Assembly, Upper Right Kicker Bracket Assembly A-16936 9. 5-Lamp Board 10. A-16841 A-15769 Ball Popper & Opto Assembly 11. A-16637-2 Plfd. Slide Mechanism, Right 12. Rear Guide Leg (2 Used) 01-10726 13. Diverter Assembly A-16802 14. A-16947 Trough Assembly 15. Motor EMI (2 Used) A-15542 16. Plfd. Slide Mechanism, Left 17. A-16637-1 Lifter Assembly A-17247 18. Trough Assembly A-16968 19. 20. A-16478 Planet Assembly A-16976-L Flipper Assembly, Upper Left 21. Ball Popper Assembly 22. A-16580 A-16833 Trought Assembly 23. 7-Opto Switch Board (2 Used) A-15576 24. 25. A-16844 4-Lamp Board 14-Lamp Combo PCB A-16839 26. Kicker Arm (Slingshot) Assy., Left B-12665 A-14369-L Coil & Bracket Assembly 10-128 Spring B-8284-1 Kicker Switch Assembly 4-Lamp Board A-16929 A-15205-L-2 Flipper Assembly, Lwr. Left 29.


Plfd. Hanger Bracket (2 Used)

10-Lamp Combo PCB Assembly

01-8419

A-16840


30.



# STAR TREK (50023) A-14747 Gun Handle Installation


The gun handle is mounted on the partition located behind the cashbox. Remove the hardware holding the gun handle to the partition and set it aside. Position the gun handle at the outside top right corner of the cabinet. (See diagram below.) Fasten the handle in place with the same hardware removed from the partition.

4410-01119-00 (4 used) Nut 10-24 ESN (To install 10-24 ESN nut use 3/8" nut driver: color code, blue) 4700-00060-00 (4 used) Flat Washer .219x.500x.063 4310-01123-24B (4 used) Bolt 10-24 x1-1/2 CB



# -Rubber Rings-

### (Inside Dimension Reference)



#### Also available in black per charts:

The state of the s					
Black Part No.	I.D.	White Part No.			
23-6694-1	3/32	23-6535			
23-6694-2	15/64	23-6641-1			
23-6694-3	5/16	23-6300			
23-6694-4	7/16	23-6599			
23-6694-5	3/4	23-6301			
23-6694-6	1	23-6302			
23-6694-7	1-1/4	23-6303			

Black Part No.	I.D.	White Part No.
23-6694-8	1-1/2	23-6304
23-6694-9	2	23-6305
23-6694-10	2-1/2	23-6306
23-6694-11	3	23-6307
23-6694-12	3-1/2	23-6308
23-6694-13	4	23-6309
23-6694-14	4-1/2	23-6530
23-6694-15	5	23-6310



